Spring 2008 Banding Summary Metro Beach Metropark

Allen Chartier Permit No. 23156

INTRODUCTION

The spring of 2008 was the fifth year of a renewed banding study, to eventually be compared with the previous study conducted (in spring) from 1990-1999. Once again, the net lanes required very little clearing, and the vegetation was little changed from last fall. Water levels were lower than in 2006 and 2007, but two net sites had water that was too deep to place nets, the "frog net" site and one of the two "L" nets. A new location was cleared to the east of the "L", three nets in a u-shape, which turned out to be very productive.

This spring, a method was implemented to keep track of which net group birds were captured in. The new u-shape and the one remaining net of the "L" were called the "Upland" nets (3.75 nets) because the terrain here was entirely, though slightly, above the water level. The u-shape in the field (2.75 nets) was called, appropriately, the "Field" nets, the three nets in the swamp woods, including the long "waterthrush" net were called the "Swamp" nets (3.50 nets), the one net (1.0 net) on the edge of the field where hummingbird feeders were placed was called "Field Edge" and the two nets (2.50 nets) parallel to the road among the willows were called "Willow" nets.

Deer were again in evidence in the banding area, though we managed to avoid any of them running through them there were a couple of close calls. Another continuing problem is vandalism where our markers for net locations keep getting removed, and this year lots of logs and branches were placed in our walking paths in a manner that created more than an inconvenience, but a true injury hazard.

Temperatures were unseasonably warm in April and unseasonably cool in May. There was almost no rain in April and very little in May, which resulted in the banding area becoming much less muddy than is typical. Wind hampered banding on several days in May.

SPRING 2008 RESULTS

Banding was conducted on 16 days between 5 April and 5 June, with nets open a total of 109.75 hours (1315.25 net hours). Although there were fewer days, and fewer hours open, the number of net hours was the highest so far. A total of 657 new birds of 60 species were banded, plus 256 recaptures (including 105 returnees from previous years) and 31 released unbanded, for a total of 944 captures and a capture rate of 71.8 birds per 100 net hours. This is the highest number of Net Hours but the lowest Capture Rate and species diversity since the project was restarted in 2004. A comparison of all spring banding results since 2004 is shown below in Table 1.

Table 1. Comparison of annual spring banding effort, capture rates, and species diversity.

| Year | Days | Net Hrs. | No. | No. | Released | Total | Capture | Species |
|------|------|----------|--------|------------|----------|----------|---------|---------|
| | | | Banded | Recaptures | unbanded | Captures | Rate* | |
| 2004 | 16 | 666.00 | 575 | 55 | 49 | 679 | 102.0 | 66 |
| 2005 | 16 | 766.38 | 433 | 106 | 7 | 556 | 72.5 | 61 |
| 2006 | 20 | 1094.31 | 719 | 146 | 14 | 879 | 80.3 | 62 |
| 2007 | 17 | 1288.69 | 791 | 196 | 24 | 1011 | 78.5 | 65 |
| 2008 | 16 | 1315.25 | 657 | 256 | 31 | 944 | 71.8 | 60 |

^{*}Capture rate is defined as number of individuals per 100 net hours.

The peak day was 21 May with 110 birds banded (plus 25 recaptures), and a record 39 species. The second highest day for captures was 12 May with 79 birds banded (plus 39 recaptures) of 33 species.

Breaking down the captures by net groups, there were some interesting results as well as some expected results. In short, the Swamp nets caught 27.1% (7.7% per net) of all the birds, the Upland nets caught 24.8% (6.6% per net), the Field nets caught 22.7% (10.0% per net), the Willow nets caught 15.8% (6.3% per net), and the Field Edge net caught 9.6%. So, while the Swamp and Uplands caught slightly more than 50% of all the birds, on a per-net basis the Field and Field Edge were the most productive. As expected, most of the Ruby-throated Hummingbirds (69%) were caught in the Field Edge net where hummingbird feeders were placed to attract them. Yellow Warblers were captured in a variety of locations with 37% in the Field, 26% in the Uplands, and 25% in the Swamp. Most American Goldfinches (54%) were captured in the Field. Red-winged Blackbirds were interesting in that females were caught mainly in the Upland (52%) and Swamp (41%), while males were caught mainly in the Field (36%) and Swamp (27%).

Among the highlights for this spring was a first for the station, a Worm-eating Warbler. This brings the total number of species banded in spring at Metro Beach since 1990 to 108. Other highlights included three Blackburnian Warblers, a Great Crested Flycatcher, three Barn Swallows, a Brown Thrasher, and two American Tree Sparrows.

Although captured in fairly low numbers (13), this was a record for spring for Ruby-throated Hummingbirds. Once again, vireo and thrush migration was poor except for Veery, which was captured in good numbers, and American Robin, which was captured in record numbers. Red-eyed Vireo went uncaptured for the fifth spring in a row, and Gray-cheeked Thrush was missed this spring as well. The number of *Empidonax* flycatchers captured was improved over the last four years. For the third spring in a row a few swallows were captured, which has been an extremely rare occurrence at Metro Beach, but the Field Nets contributed Tree Swallows (which again nested in a nest box put out for them), Northern Rough-winged Swallows, and Barn Swallows. In April numbers of Brown Creeper, both kinglets, and Fox Sparrow, was very low and Winter Wren was missed entirely for the first time. Warblers were fairly sparse but good in diversity, with 165 warblers of 19 species banded. There were record numbers of Yellow Warblers while American Redstart, Northern Waterthrush, and Canada Warbler were down in number. Sparrow migration was generally good, but no records were set and White-throated Sparrows in particular were the lowest since 2004. And finally, record numbers of Red-winged Blackbirds and Common Grackles were captured. Details for individual species can be found in Table 1 below.

As with last spring, a surprising number of birds showing breeding evidence (brood patches in females and cloacal protuberances in males) were captured this spring. This included 6 Ruby-throated Hummingbirds (females), 7 Downy Woodpeckers (5 females, 2 males), 1 Northern Flicker (male), 1 Great Crested Flycatcher (female), 2 Warbling Vireos (male and female), 1 Blue Jay (female), 5 Tree Swallows (4 males, 1 female), 1 Northern Roughwinged Swallow (male), 2 Barn Swallows (males), 5 Black-capped Chickadees (4 females, 1 male), 2 Carolina Wrens (male and female), 6 House Wrens (males), 33 American Robins (17 males, 16 females), 7 Gray Catbirds (5 males, 2 females), 2 European Starlings (females), 46 Yellow Warblers (38 males, 8 females), 13 Common Yellowthroats (12 males, 1 female), 22 Song Sparrows (16 males, 6 females), 6 Swamp Sparrows (males), 3 Northern Cardinals (females), 34 Red-winged Blackbirds (11 males, 23 females), 11 Common Grackles (5 males, 6 females), 7 Baltimore Orioles (5 males, 2 females), and 1 House Finch (male). In particular, the number of American Robins, Yellow Warblers, Song Sparrows, and Red-winged Blackbirds apparently using the banding area as part (or all) of their breeding territory is amazing. Details can be found in Table 2 below. It is clear that this patch of woodland and marsh is very important to breeding birds as well as migrants.

RECAPTURES

The number of recaptures this spring was the highest yet. Birds banded at Metro Beach are very infrequently encountered any significant distance away from the park, so any reports of these "foreign" re-encounters is very special indeed. There are two such encounters to report. A Common Grackle banded on 13 May 2007 as an ASY-M was found (dead) in Beaver Dam, Kentucky (416 miles SSW of Metro Beach) on 27 January 2008. An ASY-M Baltimore Oriole captured at Metro Beach on 21 May 2008 was originally banded as a SY-M by the Long Point Bird Observatory, Ontario, Canada (125 miles E of Metro Beach) on 17 May 2007.

Probably not as far away, a female Brown-headed Cowbird (2281-10619) banded on 20 April was reported to the Banding Lab from at an as yet unknown location (probably near the park) sometime before 30 April. Details of this encounter will be provided in the fall report.

Six birds of five species originally banded in 2004 were recaptured in Spring 2008. Twenty-five birds of 13 species originally banded in 2005 were recaptured in Spring 2008, including the first ever recaptured Alder Flycatcher. Fourteen birds of seven species originally banded in 2006 were recaptured in Spring 2008. Sixty-one birds of 16 species originally banded in 2007 were recaptured in Spring 2008, including the first ever returning Ruby-throated Hummingbird and unusually large numbers of Yellow Warblers. Details of these can be found in Tables 4-7.

WEIGHT GAINS/LOSSES

One measure of the value of an area to migrant birds is the weight gain of those birds using the area. There is much variation from day to day, and year to year, with regard to how birds use an area, the condition they're in when they arrive, and how long they'll tend to use an area. In spring, birds are in more of a hurry to reach breeding grounds, so stopover durations are shorter, and fewer weight gains are noted. Table 8 below provides details of weight gains and losses detected during Spring 2008. It should be noted that weight gains of female Yellow Warblers, Song Sparrows, Swamp Sparrows, and Red-winged Blackbirds which breed in the area, is probably associated with egg formation in those females, not fat deposition.

It is clear that this small, and rather isolated patch of habitat at Metro Beach Metropark continues to be an important stopover and refueling (feeding) site for migrating birds, and an important area for breeding birds as well.

Photo highlights of this spring's banding can be found at the end of this report.

ACKNOWLEDGMENTS

I would like to thank the park superintendent, Jim Pershing, for giving us permission to band in the park, and drive our cars into a closed area. I would also like to thank the staff at the Metro Beach Nature Center for their continuing support, especially Julie Champion.

Banding this spring simply could not have been done without the able assistance of the following volunteers: John Bieganowski, Russ Brown, Terri Chapdelaine, Lorie F. Dietz, Chris Goulart, Dave Lancaster, Harry Lau, Rose Lau, Frank Lautner, Kerrie McMillen, Bonita Olesen, Steve Olesen, Carl Pascoe, Rob Poniatowski, Rachel Powess, Renee Render, Gina Joy Roemer, Eli Thomas, Tom Schlack, and Joan Tisdale.

I would like to extend a special thanks to those organizations and individuals who provided financial assistance this season, allowing me to replace worn out nets, and to Ellie Cox for getting me started in all this.

Table 2. Birds banded at Metro Beach Metropark in Spring 2008, compared with the 1990-1999 average and the 2004-2007 average (No. per 100 net hours in parentheses). **Bold black text** indicates unusual species or high numbers. **Bold red text** indicates significant declines, or significant missing species from the tally.

| | 1990-1999 | 2004-2007 | 2008 | |
|-------------------------------|-------------|-------------|-----------|---------|
| Species | Average | Average | Totals | Returns |
| Virginia Rail | 0.3 (0.03) | 0 | 0 | |
| Killdeer | 0.1 (0.01) | 0 | 0 | |
| Solitary Sandpiper | 0.1 (0.01) | 0 | 0 | |
| Wilson's Snipe | 0.1 (0.01) | 0 | 0 | |
| American Woodcock | 0 | 0.5 (0.05) | 0 | |
| Mourning Dove | 0.2 (0.02) | 0 | 0 | |
| Black-billed Cuckoo | 0.2 (0.02) | 0 | 0 | |
| Whip-poor-will | 0.2 (0.02) | 0 | 0 | |
| Ruby-throated Hummingbird | 0 | 4.0 (0.42) | 13 (0.99) | 1 |
| Red-bellied Woodpecker | 0 | 0.3 (0.03) | 0 | |
| Yellow-bellied Sapsucker | 0.1 (0.01) | 0 | 0 | |
| Downy Woodpecker | 3.6 (0.42) | 3.8 (0.39) | 7 (0.53) | 5 |
| Hairy Woodpecker | 0.2 (0.02) | 0.5 (0.05) | 0 | |
| Northern Flicker | 0.8 (0.09) | 1.5 (0.16) | 1 (0.08) | 1 |
| Olive-sided Flycatcher | 0.2 (0.02) | 0 | 0 | |
| Eastern Wood-Pewee | 1.4 (0.16) | 0.5 (0.05) | 0 | |
| Yellow-bellied Flycatcher | 14.1 (1.63) | 2.3 (0.24) | 2 (0.15) | |
| Acadian Flycatcher | 0.3 (0.03) | 0.3 (0.03) | 0 | |
| Alder Flycatcher | 0.2 (0.02) | 1.0 (0.10) | 3 (0.23) | 1 |
| Willow Flycatcher | 0.1 (0.01) | 1.8 (0.18) | 3 (0.23) | |
| "Traill's" Flycatcher | 6.4 (0.67) | 4.5 (0.47) | 7 (0.53) | |
| Least Flycatcher | 8.0 (0.93) | 3.0 (0.31) | 2 (0.15) | |
| Eastern Phoebe | 0.2 (0.02) | 3.0 (0.31) | 3 (0.23) | |
| Great Crested Flycatcher | 0.7 (0.08) | 0.3 (0.03) | 1 (0.08) | |
| Eastern Kingbird | 0.1 (0.01) | 0 | 0 | |
| White-eyed Vireo | 0.7 (0.08) | 1.5 (0.16) | 0 | |
| Blue-headed Vireo | 0.6 (0.07) | 0 | 0 | |
| Warbling Vireo | 5.8 (0.67) | 3.0 (0.31) | 4 (0.30) | 1 |
| Philadelphia Vireo | 0.4 (0.05) | 0.3 (0.03) | 0 | |
| Red-eyed Vireo | 2.0 (0.23) | 0 | 0 | |
| Blue Jay | 20.2 (2.34) | 4.3 (0.45) | 10 (0.76) | |
| Tree Swallow | 0.2 (0.02) | 1.0 (0.10) | 10 (0.76) | |
| Northern Rough-winged Swallow | 0.6 (0.07) | 6.0 (0.63) | 5 (0.38) | |
| Barn Swallow | 0 | 0.5 (0.05) | 3 (0.23) | |
| Black-capped Chickadee | 3.2 (0.37) | 8.8 (0.92) | 9 (0.68) | 7 |
| Tufted Titmouse | 0.2 (0.02) | 0.5 (0.05) | 0 | |
| Brown Creeper | 1.5 (0.17) | 11.8 (1.23) | 7 (0.53) | |
| Carolina Wren | 0.1 (0.01) | 1.8 (0.18) | 4 (0.30) | |
| House Wren | 6.7 (0.78) | 6.8 (0.71) | 8 (0.61) | 4 |
| Winter Wren | 2.9 (0.34) | 3.5 (0.37) | 0 | |
| Sedge Wren | 0.1 (0.01) | 0 | 0 | |

Table 2. Continued.

| | 1990-1999 | 2004-2007 | 2008 | |
|------------------------------|-------------|-------------|-----------|---------|
| Species | Average | Average | Totals | Returns |
| Golden-crowned Kinglet | 1.5 (0.17) | 14.5 (1.52) | 4 (0.30) | |
| Ruby-crowned Kinglet | 25.0 (2.89) | 17.5 (1.83) | 5 (0.38) | |
| Blue-gray Gnatcatcher | 1.8 (0.21) | 1.3 (0.13) | 0 | |
| Veery | 6.0 (0.69) | 6.3 (0.66) | 8 (0.61) | |
| Gray-cheeked Thrush | 2.1 (0.24) | 2.0 (0.21) | 0 | |
| Swainson's Thrush | 15.3 (1.77) | 7.0 (0.73) | 8 (0.61) | |
| Hermit Thrush | 12.7 (1.47) | 14.8 (1.55) | 9 (0.68) | |
| Wood Thrush | 1.5 (0.17) | 1.5 (0.16) | 0 | |
| American Robin | 17.8 (2.06) | 26.8 (2.80) | 41 (3.12) | 7 |
| Gray Catbird | 15.6 (1.81) | 21.0 (2.20) | 16 (1.22) | 3 |
| Brown Thrasher | 1.3 (0.15) | 1.0 (0.10) | 1 (0.08) | |
| European Starling | 2.7 (0.31) | 0.8 (0.08) | 4 (0.30) | |
| Cedar Waxwing | 0.4 (0.05) | 0.8 (0.08) | 0 | |
| Blue-winged Warbler | 0.3 (0.03) | 1.5 (0.16) | 0 | |
| Golden-winged Warbler | 0.2 (0.02) | 0.5 (0.05) | 0 | |
| "Brewster's" Warbler | 0.1 (0.01) | 0.3 (0.03) | 0 | |
| Tennessee Warbler | 4.0 (0.46) | 0.5 (0.05) | 0 | |
| Orange-crowned Warbler | 0.6 (0.07) | 2.0 (0.21) | 1 (0.08) | |
| Nashville Warbler | 3.7 (0.43) | 6.3 (0.66) | 6 (0.46) | |
| Northern Parula | 0.2 (0.02) | 0.3 (0.03) | 0 | |
| Yellow Warbler | 26.4 (3.06) | 27.0 (2.83) | 57 (4.33) | 21 |
| Chestnut-sided Warbler | 6.9 (0.80) | 4.3 (0.45) | 3 (0.23) | |
| Magnolia Warbler | 26.4 (3.06) | 20.0 (2.10) | 15 (1.14) | |
| Cape May Warbler | 0.7 (0.08) | 0 | 0 | |
| Black-throated Blue Warbler | 3.4 (0.39) | 1.8 (0.18) | 3 (0.23) | |
| Yellow-rumped Warbler | 15.5 (1.79) | 7.0 (0.73) | 7 (0.53) | |
| Black-throated Green Warbler | 1.1 (0.13) | 3.0 (0.31) | 3 (0.23) | |
| Blackburnian Warbler | 0.8 (0.09) | 0.8 (0.08) | 3 (0.23) | |
| Prairie Warbler | 0 | 0.3 (0.03) | 0 | |
| (Western) Palm Warbler | 1.5 (0.17) | 2.0 (0.21) | 3 (0.23) | |
| (Yellow) Palm Warbler | 0.1 (0.01) | 0.3 (0.03) | 0 | |
| Bay-breasted Warbler | 1.0 (0.12) | 0 | 0 | |
| Blackpoll Warbler | 0.5 (0.06) | 0 | 0 | |
| Black-and-white Warbler | 3.9 (0.45) | 5.5 (0.58) | 4 (0.30) | |
| Hybrid Warbler (BAWWxGWWA?) | 0 | 0.3 (0.03) | 0 | |
| American Redstart | 16.0 (1.85) | 5.3 (0.55) | 4 (0.30) | |
| Worm-eating Warbler | 0 | 0 | 1 (0.08) | |
| Prothonotary Warbler | 0.1 (0.01) | 0 | 0 | |
| Ovenbird | 7.4 (0.86) | 8.8 (0.92) | 9 (0.68) | |
| Northern Waterthrush | 7.1 (0.82) | 12.0 (1.26) | 5 (0.38) | |
| Louisiana Waterthrush | 0 | 0.3 (0.03) | 0 | |
| Connecticut Warbler | 0.2 (0.02) | 0 | 0 | |
| Mourning Warbler | 5.5 (0.64) | 4.3 (0.45) | 4 (0.30) | |
| Common Yellowthroat | 29.4 (3.40) | 23.3 (2.44) | 27 (2.05) | 6 |

Table 2. Continued.

| | 1990-1999 | 2004-2007 | 2008 | |
|------------------------|-------------|-------------|-----------|---------|
| Species | Average | Average | Totals | Returns |
| Wilson's Warbler | 13.5 (1.56) | 11.0 (1.15) | 9 (0.68) | |
| Canada Warbler | 6.9 (0.80) | 6.5 (0.68) | 1 (0.08) | |
| Hooded Warbler | 0.1 (0.01) | 0.5 (0.05) | 0 | |
| Yellow-breasted Chat | 0.5 (0.06) | 0 | 0 | |
| Scarlet Tanager | 0.2 (0.02) | 0.3 (0.03) | 0 | |
| Northern Cardinal | 5.3 (0.61) | 7.8 (0.81) | 10 (0.76) | 5 |
| Rose-breasted Grosbeak | 1.9 (0.20) | 0.5 (0.05) | 1 (0.08) | |
| Indigo Bunting | 0.6 (0.07) | 1.5 (0.16) | 0 | |
| Eastern Towhee | 0.2 (0.02) | 0.3 (0.03) | 0 | |
| American Tree Sparrow | 0.3 (0.03) | 1.8 (0.18) | 2 (0.15) | |
| Field Sparrow | 0.2 (0.02) | 0.3 (0.03) | 0 | |
| Savannah Sparrow | 0.1 (0.01) | 0.3 (0.03) | 0 | |
| Fox Sparrow | 0.1 (0.01) | 4.0 (0.42) | 1 (0.08) | |
| Song Sparrow | 11.8 (1.37) | 21.3 (2.23) | 18 (1.37) | 19 |
| Lincoln's Sparrow | 13.3 (1.54) | 10.0 (1.05) | 12 (0.91) | |
| Swamp Sparrow | 54.0 (6.25) | 43.8 (4.59) | 42 (3.19) | |
| White-throated Sparrow | 36.4 (4.21) | 84.5 (8.86) | 37 (2.81) | |
| White-crowned Sparrow | 1.9 (0.22) | 5.8 (0.60) | 2 (0.15) | |
| Dark-eyed Junco | 0.1 (0.01) | 1.5 (0.16) | 0 | |
| Red-winged Blackbird | 31.1 (3.60) | 43.8 (4.59) | 93 (7.07) | 7 |
| Rusty Blackbird | 0.6 (0.07) | 0.8 (0.08) | 0 | |
| Common Grackle | 7.8 (0.90) | 13.0 (1.36) | 24 (1.82) | 2 |
| Brown-headed Cowbird | 5.9 (0.68) | 7.0 (0.73) | 8 (0.61) | 2 |
| Baltimore Oriole | 4.9 (0.57) | 9.0 (0.94) | 8 (0.61) | 4 |
| House Finch | 1.6 (0.19) | 1.0 (0.10) | 1 (0.08) | |
| American Goldfinch | 24.7 (2.86) | 27.8 (2.91) | 35 (2.66) | 9 |
| House Sparrow | 0.5 (0.06) | 0 | 0 | |

Table 3. Breeding Evidence of Birds captured at Metro Beach Metropark in Spring 2008. (BP=Brood Patch, CP=Cloacal Protuberance, 1=min., 3=max.)

| Species | Age/Sex | Band No. | Date Banded | Date(s) Recaptured | Breeding Evidence Observed |
|---------------------------|---------|-------------|----------------|-----------------------|----------------------------------|
| Ruby-throated Hummingbird | AHY-F | E9000-42994 | 21-Aug-07 | 19-May-08 | - |
| | | | | 21-May-08 | BP=2, egg |
| Ruby-throated Hummingbird | AHY-F | E9000-92336 | 19-May-08 | - | BP=2 |
| Ruby-throated Hummingbird | AHY-F | E9000-92342 | 30-May-08 | - | BP=2, egg |
| Ruby-throated Hummingbird | AHY-F | E9000-92343 | 30-May-08 | - | BP=2 |
| Ruby-throated Hummingbird | AHY-F | E9000-92344 | 05-Jun-08 | - | BP=2 |
| Ruby-throated Hummingbird | AHY-F | E9000-92345 | 05-Jun-08 | - | BP=2 |
| Downy Woodpecker | ATY-F | 2251-02702 | 09-Oct-05 | 20-Apr-08 | BP=2 |
| | | | | 12-May-08 | BP=3 |
| Downy Woodpecker | SY-F | 2281-10621 | 20-Apr-08 | - | BP=1 |
| Downy Woodpecker | ASY-M | 2281-10624 | 20-Apr-08 | - | BP=1 |
| Downy Woodpecker | ASY-F | 2281-10625 | 20-Apr-08 | 30-Apr-08 | BP=2 |
| | | | | 09-May-08 | BP=3 |
| | | | | 12-May-08 | BP=3 |
| | | | | 31-May-08 | BP=3 |
| Downy Woodpecker | SY-F | 2281-10613 | 20-Apr-08 | 12-May-08 | BP=3 |
| Downy Woodpecker | ASY-M | 2281-10627 | 24-Apr-08 | 21-May-08 | BP=3 |
| Downy Woodpecker | ASY-F | 2281-10694 | 19-May-08 | 21-May-08 | BP=3 |
| Northern Flicker | ASY-M | 1603-19612 | 21-Apr-08 | 19-May-08 | BP=3 |
| Great Crested Flycatcher | AHY-F | 1991-96136 | 05-Jun-08 | - | BP=2 |
| Warbling Vireo | AHY-M | 2360-85956 | 21-May-08 | - | CP=3 |
| Warbling Vireo | AHY-F | 2360-85971 | 21-May-08 | - | BP=2 |
| Blue Jay | SY-F | 1232-01281 | 30-May-08 | - | BP=2, egg |
| Tree Swallow | AHY-M | 2311-71592 | 09-May-08 | - | CP=2 |
| Tree Swallow | AHY-M | 2311-71640 | 09-May-08 | - | CP=3 |
| Tree Swallow | AHY-F | 2311-71643 | 09-May-08 | 21-May-08 | BP=3 |
| Tree Swallow | AHY-M | 2311-71644 | 12-May-08 | - | CP=3 |
| Tree Swallow | AHY-M | 2311-71695 | 05-Jun-08 | - | CP=3 |
| N. Rough-winged Swallow | AHY-M | 2360-85870 | 09-May-08 | - | CP=3 |
| Barn Swallow | AHY-M | 2360-85942 | 19-May-08 | - | CP=2 |
| Barn Swallow | AHY-M | 2360-85967 | 21-May-08 | - | CP=3 |
| Black-capped Chickadee | AHY-F | 2360-85139 | 21-Aug-05 | 05-Jun-08 | BP=3 |
| Black-capped Chickadee | AHY-M | 2360-85187 | 05-Oct-05 | 12-May-08 | CP=2 |
| Black-capped Chickadee | AHY-F | 2360-85413 | 25-Aug-06 | 05-May-08 | BP=3, egg |
| Black-capped Chickadee | AHY-F | 2360-85770 | 09-Sep-07 | 30-Apr-08 | BP=3, egg |
| 11 | | | 1 | 31-May-08 | BP=3 |
| Black-capped Chickadee | AHY-F | 2500-25604 | 05-Jun-08 | - | BP=3 |
| Carolina Wren | AHY-M | 2281-10603 | 06-Apr-08 | 12-May-08 | CP=3 |
| Carolina Wren | AHY-F | 2281-10615 | 18-Apr-08 | - | BP=3, egg |
| House Wren | AHY-M | 2360-85714 | 16-Aug-07 | 30-May-08 | CP-3 |
| House Wren | AHY-M | 2360-85728 | 18-Aug-07 | 05-Jun-08 | CP=3 |
| House Wren | AHY-M | 2360-85849 | 30-Apr-08 | 09-May-08 | CP=3 |
| | | | | 19-May-08 | CP=3 |
| | | | | 30-May-08 | CP=3 |

Table 3. Continued.

| Species | Age/Sex | Band No. | Date Banded | Date(s) Recaptured | Breeding Evidence Observed |
|----------------|---------|------------|----------------|-----------------------|----------------------------------|
| House Wren | AHY-M | 2360-85872 | 09-May-08 | - | CP=3 |
| House Wren | AHY-M | 2360-85943 | 19-May-08 | - | CP=3 |
| House Wren | AHY-M | 2360-85978 | 30-May-08 | - | CP=3 |
| American Robin | AHY-M | 0842-29086 | 18-Apr-04 | 06-Apr-08 | CP=1 |
| | | | 1 | 20-Apr-08 | CP=3 |
| | | | | 24-Apr-08 | CP=3 |
| American Robin | AHY-F | 1192-24697 | 15-May-05 | 31-May-08 | BP=3 |
| American Robin | AHY-M | 1222-19014 | 30-May-05 | 06-Apr-08 | CP=2 |
| | | | | 21-May-08 | CP=3 |
| American Robin | AHY-M | 1222-19019 | 07-Aug-05 | 21-May-08 | CP=3 |
| American Robin | AHY-M | 1222-43013 | 05-May-07 | 12-May-08 | CP=3 |
| American Robin | AHY-M | 1222-43016 | 05-May-07 | 30-May-08 | CP=3 |
| American Robin | AHY-M | 1222-43023 | 11-May-07 | 19-May-08 | CP=3 |
| American Robin | AHY-M | 1222-87054 | 05-Apr-08 | 16-Apr-08 | CP=2 |
| American Robin | AHY-F | 1222-87072 | 18-Apr-08 | 19-May-08 | BP=3 |
| American Robin | AHY-F | 1222-87097 | 20-Apr-08 | - | BP=1 |
| American Robin | AHY-M | 1222-87099 | 20-Apr-08 | - | CP=3 |
| American Robin | AHY-M | 1232-01219 | 30-Apr-08 | 19-May-08 | CP=3 |
| American Robin | SY-M | 1232-01225 | 05-May-08 | 19-May-08 | CP=3 |
| American Robin | AHY-F | 1232-01246 | 09-May-08 | - | BP=3 |
| American Robin | AHY-F | 1232-01247 | 09-May-08 | - | BP=3 |
| American Robin | AHY-M | 1232-01248 | 09-May-08 | - | CP=3 |
| American Robin | AHY-M | 1232-01249 | 09-May-08 | - | CP=3 |
| American Robin | AHY-F | 1232-01254 | 12-May-08 | 19-May-08 | BP=3 |
| American Robin | AHY-M | 1232-01257 | 12-May-08 | 30-May-08 | CP=3 |
| | | | | 05-Jun-08 | CP=3 |
| American Robin | AHY-M | 1232-01270 | 19-May-08 | - | CP=3 |
| American Robin | AHY-F | 1232-01271 | 19-May-08 | - | BP=3 |
| American Robin | AHY-F | 1232-01272 | 19-May-08 | - | BP=3 |
| American Robin | AHY-F | 1232-01275 | 21-May-08 | - | BP=3 |
| American Robin | AHY-F | 1232-01277 | 30-May-08 | - | BP=3 |
| American Robin | AHY-M | 1232-01278 | 30-May-08 | - | CP=3 |
| American Robin | AHY-F | 1232-01287 | 30-May-08 | - | BP=3 |
| American Robin | AHY-F | 1232-01288 | 30-May-08 | - | BP=3 |
| American Robin | AHY-F | 1232-01289 | 30-May-08 | - | BP=3 |
| American Robin | AHY-F | 1232-01295 | 31-May-08 | - | BP=3 |
| American Robin | AHY-F | 1232-01298 | 05-Jun-08 | - | BP=3 |
| American Robin | AHY-M | 1232-43401 | 05-Jun-08 | - | CP=3 |
| American Robin | AHY-M | 1232-43406 | 05-Jun-08 | - | CP=3 |
| American Robin | AHY-M | 1232-43407 | 05-Jun-08 | - | CP=3 |
| Gray Catbird | AHY-M | 1631-01395 | 08-May-04 | 09-May-08 | CP=2 |
| Gray Catbird | ASY-M | 8101-31411 | 05-Jun-08 | 14-May-05 | CP=3 |
| Gray Catbird | SY-M | 1991-65276 | 12-May-08 | - | CP=3 |
| Gray Catbird | SY-M | 1991-65279 | 12-May-08 | - | CP=2 |
| Gray Catbird | SY-M | 1991-96108 | 21-May-08 | _ | CP=3 |

Table 3. Continued.

| Species | Age/Sex | Band No. | Date Banded | Date(s) Recaptured | Breeding Evidence Observed |
|--------------------|----------|------------|----------------|------------------------|----------------------------------|
| Gray Catbird | SY-F | 1991-96119 | 30-May-08 | - | BP=3 |
| Gray Catbird | SY-F | 1991-96126 | 31-May-08 | - | BP=2 |
| European Starling | AHY-F | 1232-01280 | 30-May-08 | - | BP=3 |
| European Starling | AHY-F | 1232-01290 | 30-May-08 | - | BP=3 |
| Yellow Warbler | ASY-M | 2190-67486 | 07-May-05 | 09-May-08 | CP=3 |
| Yellow Warbler | ASY-M | 2360-85089 | 04-Jun-05 | 12-May-08 | CP=3 |
| Yellow Warbler | ASY-M | 2360-85280 | 14-May-06 | 09-May-08 | CP=3 |
| | | | | 21-May-08 | CP=3 |
| | | | | 30-May-08 | CP=3 |
| Yellow Warbler | ASY-M | 2360-85285 | 14-May-06 | 09-May-08 | CP=2 |
| Yellow Warbler | ASY-F | 2360-85296 | 15-May-06 | 05-Jun-08 | BP=3 |
| Yellow Warbler | ASY-M | 2360-85543 | 03-May-07 | 05-May-08 | CP=3 |
| | | | | 09-May-08 | CP=3 |
| | | | | 21-May-08 | CP=3 |
| | | | | 30-May-08 | CP=3 |
| Yellow Warbler | ASY-M | 2360-85574 | 11-May-07 | 05-May-08 | - |
| | | | | 21-May-08 | CP=3 |
| Yellow Warbler | ASY-M | 2360-85572 | 11-May-07 | 12-May-08 | CP=3 |
| | | | | 05-Jun-08 | CP=3 |
| Yellow Warbler | AHY-F | 2360-85597 | 12-May-07 | 12-May-08 | - |
| | | | | 19-May-08 | - |
| | | | | 21-May-08 | |
| | | | | 30-May-08 | BP=3 |
| Yellow Warbler | ASY-M | 2360-85621 | 13-May-07 | 24-Apr-08 | - |
| | | | | 05-May-08 | CP=3 |
| | | | | 09-May-08 | CP=3 |
| | | | | 21-May-08 | CP=3 |
| Yellow Warbler | ASY-M | 2360-85609 | 12 Mar. 07 | 30-May-08 | CP=3 |
| reliow warbier | ASY-IVI | 2300-83009 | 13-May-07 | 12-May-08 30-May-08 | CP=3 CP=3 |
| | | | | 05-Jun-08 | CP=3 CP=3 |
| Yellow Warbler | ASY-F | 2360-85622 | 14-May-07 | 19-May-08 | CF-3 |
| Tellow Warbier | A51-1 | 2300-63022 | 14-May-07 | 21-May-08 | BP=2 |
| Yellow Warbler | ASY-M | 2360-85649 | 27-May-07 | 12-May-08 | CP=3 |
| TOHOW WAIDIEL | AS 1 -W | 2300-03049 | 21-1v1ay-01 | 19-May-08 | CP=3 |
| Yellow Warbler | ASY-M | 2360-85669 | 31-May-07 | 19-May-08 | CP=3 |
| Yellow Warbler | ASY-M | 2360-85670 | 31-May-07 | 21-May-08 | CP=3 |
| Yellow Warbler | ASY-M | 2360-85679 | 02-Jun-07 | 05-May-08 | - |
| 1011011 11 1110101 | 7151 111 | 2300 03017 | 02 3411 07 | 09-May-08 | CP=2 |
| | | | | 12-May-08 | CP=3 |
| | | | | 19-May-08 | - |
| | | | | 05-Jun-08 | CP=3 |
| Yellow Warbler | SY-M | 2360-85702 | 29-Jul-07 | 09-May-08 | CP=2 |
| | | | | 31-May-08 | CP=3 |

Table 3. Continued.

| Species | Age/Sex | Band No. | Date Banded | Date(s) Recaptured | Breeding Evidence Observed |
|---------------------|---------|------------|----------------|-----------------------|----------------------------------|
| Yellow Warbler | SY-F | 2360-85855 | 05-May-08 | 09-May-08 | - |
| | | | | 19-May-08 | - |
| | | | | 30-May-08 | BP=3, egg |
| Yellow Warbler | ASY-M | 2360-85861 | 05-May-08 | 19-May-08 | CP=3 |
| Yellow Warbler | SY-M | 2360-85871 | 09-May-08 | - | CP=3 |
| Yellow Warbler | SY-M | 2360-85874 | 09-May-08 | - | CP=3 |
| Yellow Warbler | SY-M | 2360-85875 | 09-May-08 | 12-May-08 | CP=3 |
| | | | | 19-May-08 | - |
| | | | | 31-May-08 | CP=3 |
| | | | | 05-Jun-08 | CP=3 |
| Yellow Warbler | SY-M | 2360-85876 | 09-May-08 | - | CP=2 |
| Yellow Warbler | SY-M | 2360-85884 | 12-May-08 | - | CP=3 |
| Yellow Warbler | SY-M | 2360-85885 | 12-May-08 | 30-May-08 | CP=3 |
| Yellow Warbler | SY-M | 2360-85889 | 12-May-08 | 21-May-08 | CP=3 |
| | | | | 30-May-08 | CP=3 |
| Yellow Warbler | SY-M | 2360-85896 | 12-May-08 | - | CP=2 |
| Yellow Warbler | ASY-M | 2360-85907 | 12-May-08 | - | CP=3 |
| Yellow Warbler | SY-M | 2360-85934 | 19-May-08 | - | CP=2 |
| Yellow Warbler | SY-M | 2360-85935 | 19-May-08 | - | CP=3 |
| Yellow Warbler | SY-M | 2360-85936 | 19-May-08 | - | CP=3 |
| Yellow Warbler | SY-F | 2360-85939 | 19-May-08 | 30-May-08 | BP=3, egg |
| | | | | 05-May-08 | BP=3 |
| Yellow Warbler | SY-M | 2360-85953 | 21-May-08 | - | CP=2 |
| Yellow Warbler | SY-M | 2360-85958 | 21-May-08 | 31-May-08 | CP=3 |
| Yellow Warbler | ASY-M | 2360-85962 | 21-May-08 | - | CP=3 |
| Yellow Warbler | SY-M | 2360-85963 | 21-May-08 | 05-Jun-08 | CP=3 |
| Yellow Warbler | SY-M | 2360-85968 | 21-May-08 | - | CP=3 |
| Yellow Warbler | ASY-M | 2360-85975 | 21-May-08 | - | CP=3 |
| Yellow Warbler | ASY-M | 2360-85979 | 30-May-08 | - | CP=3 |
| Yellow Warbler | SY-M | 2360-85982 | 30-May-08 | - | CP=3 |
| Yellow Warbler | SY-M | 2360-85984 | 30-May-08 | - | CP=3 |
| Yellow Warbler | SY-M | 2360-85989 | 31-May-08 | - | CP=3 |
| Yellow Warbler | SY-F | 2360-85999 | 05-Jun-08 | - | BP=3 |
| Yellow Warbler | SY-F | 2500-25601 | 05-Jun-08 | - | BP=3 |
| Yellow Warbler | ASY-M | 2500-25605 | 05-Jun-08 | - | CP=3 |
| Yellow Warbler | SY-F | 2500-25606 | 05-Jun-08 | - | BP=3 |
| Common Yellowthroat | AHY-M | 2360-85008 | 14-May-05 | 12-May-08 | CP=3 |
| Common Yellowthroat | AHY-M | 2360-85299 | 15-May-06 | 12-May-08 | CP=3 |
| Common Yellowthroat | AHY-M | 2360-85620 | 13-May-07 | 09-May-08 | CP=3 |
| | | | | 12-May-08 | - |
| | | | | 19-May-08 | CP=3 |
| Common Yellowthroat | AHY-M | 2360-85722 | 18-Aug-07 | 19-May-08 | CP=2 |
| Common Yellowthroat | AHY-M | 2360-85880 | 09-May-08 | 12-May-08 | CP=3 |
| Common Yellowthroat | AHY-M | 2360-85883 | 12-May-08 | 21-May-08 | CP=3 CP=2 |

Table 3. Continued.

| Species | Age/Sex | Band No. | Date Banded | Date(s) Recaptured | Breeding Evidence Observed |
|---------------------|-----------|------------|----------------------|------------------------|----------------------------------|
| Common Yellowthroat | SY-F | 2360-85909 | 12-May-08 | 30-May-08 | BP=3, egg |
| Common Yellowthroat | AHY-M | 2360-85924 | 19-May-08 | - | CP=2 |
| Common Yellowthroat | SY-M | 2360-85927 | 19-May-08 | _ | CP=3 |
| Common Yellowthroat | SY-M | 2360-85930 | 19-May-08 | - | CP=2 |
| Common Yellowthroat | AHY-M | 2360-85944 | 19-May-08 | 21-May-08 | CP=3 |
| Common Yellowthroat | SY-M | 2360-85983 | 30-May-08 | 31-May-08 | CP=3 |
| Common Yellowthroat | AHY-M | 2360-85986 | 30-May-08 | 31-May-08 | CP=3 |
| Song Sparrow | ASY-F | 1961-11714 | 14-Aug-05 | 19-May-08 | BP=3 |
| Song Sparrow | AHY-F | 1961-11725 | 21-Aug-05 | 06-Apr-08 | - |
| 8.4 | | | | 30-Apr-08 | - |
| | | | | 05-Jun-08 | BP=3 |
| Song Sparrow | ASY-F | 2251-02852 | 16-Apr-06 | 20-Apr-08 | - |
| | | | 1 | 19-May-08 | BP=3 |
| Song Sparrow | ASY-M | 2251-03170 | 16-Aug-06 | 30-Apr-08 | CP=3 |
| Song Sparrow | ASY-M | 2251-44310 | 01-Sep-06 | 05-Jun-08 | CP=3 |
| Song Sparrow | ASY-M | 2251-44405 | 29-Sep-06 | 16-Apr-08 | - |
| | | | | 09-May-08 | CP=3 |
| | | | | 05-Jun-08 | CP=3 |
| Song Sparrow | ASY-M | 2281-10015 | 31-Mar-07 | 30-Apr-08 | CP=3 |
| | | | | 31-May-08 | CP=3 |
| Song Sparrow | AHY-M | 2281-10016 | 31-Mar-07 | 09-May-08 | CP=3 |
| Song Sparrow | AHY-M | 2281-10213 | 16-Aug-07 | 18-Apr-08 | - |
| | | | | 20-Apr-08 | - |
| | | | | 31-May-08 | CP=3 |
| Song Sparrow | AHY-M | 2281-10220 | 18-Aug-07 | 05-Apr-08 | - |
| | | | | 16-Apr-08 | CP=2 |
| | | | | 18-Apr-08 | - |
| | | | | 30-Apr-08 | CP=3 |
| | | | | 09-May-08 | CP=3 |
| | | | | 31-May-08 | CP=3 |
| Comp Company | ASY-M | 2201 10222 | 24 5 07 | 05-Jun-08 | CP=3 |
| Song Sparrow | ASY-M | 2281-10323 | 24-Sep-07 | 06-Apr-08 | - |
| | | | | 20-Apr-08 24-Apr-08 | - |
| | | | | 05-May-08 | CP=3 |
| Song Sparrow | AHY-M | 2281-10495 | 07-Oct-07 | 31-May-08 | CP=3 |
| Song Sparrow | AHY-M | 2281-10493 | 10-Oct-07 | 30-Apr-08 | CP=3 |
| Song Sparrow | ASY-F | 2281-10602 | 06-Apr-08 | 19-May-08 | BP=3 |
| Song Sparrow | AHY-M | 2281-10604 | 06-Apr-08 | 21-May-08 | CP=3 |
| Song Sparrow | AHY-M | 2281-10608 | 16-Apr-08 | 21-141ay-00 | CP=2 |
| Song Sparrow | ASY-M | 2281-10614 | 18-Apr-08 | 31-May-08 | CP=2 CP=2 |
| Song Sparrow | ASY-M | 2281-10646 | 05-May-08 | 05-Jun-08 | CP=3 |
| Song Sparrow | ASY-M | 2281-10693 | 19-May-08 | | CP=3 |
| Song Sparrow | ASY-F | 2281-10093 | 30-May-08 | 31-May-08 | BP=3 |
| Song Sparrow | ASY-M | 2281-10707 | 30-May-08 | | CP=3 |
| Dong Dranow | VO 1 -1A1 | 2201-10/00 | 30-1 v1 ay-00 | | C1 -J |

Table 3. Continued.

| Species | Age/Sex | Band No. | Date Banded | Date(s) Recaptured | Breeding Evidence Observed |
|----------------------|---------|------------|----------------|------------------------|----------------------------------|
| Song Sparrow | AHY-F | 2281-10711 | 05-Jun-08 | - | BP=3 |
| Swamp Sparrow | ASY-M | 2311-71600 | 18-Apr-08 | 12-May-08 | CP=3 |
| • • | | | _ | 19-May-08 | CP=3 |
| Swamp Sparrow | SY-M | 2311-71605 | 18-Apr-08 | - | CP=2 |
| Swamp Sparrow | SY-M | 2311-71619 | 24-Apr-08 | 19-May-08 | CP=3 |
| Swamp Sparrow | SY-M | 2311-71623 | 30-Apr-08 | 05-Jun-08 | CP=3 |
| Swamp Sparrow | AHY-M | 2311-71666 | 19-May-08 | - | CP=2 |
| Swamp Sparrow | AHY-M | 2311-71668 | 19-May-08 | - | CP=3 |
| Northern Cardinal | AHY-F | 1222-43024 | 13-Aug-05 | 24-Apr-08 | BP=1 |
| Northern Cardinal | AHY-F | 1222-87025 | 10-Oct-07 | 30-Apr-08 05-Jun-08 | - BP=3 |
| Northern Cardinal | AHY-F | 1232-01273 | 19-May-08 | _ | BP=3, egg |
| Red-winged Blackbird | ASY-F | 1631-01387 | 04-May-04 | 12-May-08 | BP=3 |
| Red-winged Blackbird | ASY-F | 8101-31455 | 04-Jun-04 | 12-May-08 | BP=3 |
| Red-winged Blackbird | ASY-F | 1991-00901 | 23-May-06 | 09-May-08 | BP=3 |
| Red-winged Blackbird | ASY-F | 1991-65125 | 28-Apr-07 | 05-Jun-08 | BP=3 |
| Red-winged Blackbird | ASY-M | 1222-43044 | 24-May-07 | 30-Apr-08 12-May-08 | CP=2 |
| Red-winged Blackbird | SY-M | 1232-01204 | 20-Apr-08 | 12-May-08 | CP=2 |
| Red-winged Blackbird | SY-M | 1232-01218 | 30-Apr-08 | - | CP=3 |
| Red-winged Blackbird | ASY-M | 1232-01222 | 30-Apr-08 | - | CP=3 |
| Red-winged Blackbird | SY-M | 1232-01223 | 05-May-08 | - | CP=2 |
| Red-winged Blackbird | ASY-M | 1232-01250 | 09-May-08 | - | CP=3 |
| Red-winged Blackbird | ASY-F | 1991-65274 | 12-May-08 | - | BP=3 |
| Red-winged Blackbird | SY-F | 1991-65277 | 12-May-08 | - | BP=3 |
| Red-winged Blackbird | ASY-F | 1991-96101 | 19-May-08 | - | BP=3 |
| Red-winged Blackbird | ASY-F | 1991-96105 | 19-May-08 | - | BP=3 |
| Red-winged Blackbird | ASY-F | 1991-96111 | 21-May-08 | - | BP=3 |
| Red-winged Blackbird | ASY-M | 1232-01276 | 21-May-08 | - | CP=3 |
| Red-winged Blackbird | ASY-F | 1991-96117 | 30-May-08 | - | BP=3 |
| Red-winged Blackbird | ASY-F | 1991-96118 | 30-May-08 | - | BP=3 |
| Red-winged Blackbird | SY-F | 1991-96120 | 30-May-08 | - | BP=3 |
| Red-winged Blackbird | SY-M | 1232-01283 | 30-May-08 | - | CP=3 |
| Red-winged Blackbird | SY-F | 1991-96123 | 31-May-08 | - | BP=3 |
| Red-winged Blackbird | SY-F | 1991-96127 | 31-May-08 | - | BP=3, egg |
| Red-winged Blackbird | SY-M | 1232-01292 | 31-May-08 | - | CP=3 |
| Red-winged Blackbird | SY-M | 1232-01294 | 31-May-08 | - | CP=2 |
| Red-winged Blackbird | SY-F | 1991-96128 | 05-Jun-08 | - | BP=3 |
| Red-winged Blackbird | SY-F | 1991-96129 | 05-Jun-08 | - | BP=3, egg |
| Red-winged Blackbird | SY-F | 1991-96130 | 05-Jun-08 | - | BP=3, egg |
| Red-winged Blackbird | SY-F | 1991-96131 | 05-Jun-08 | - | BP=3 |
| Red-winged Blackbird | ASY-F | 1991-96132 | 05-Jun-08 | - | BP=3 |
| Red-winged Blackbird | ASY-F | 1991-96133 | 05-Jun-08 | - | BP=3 |
| Red-winged Blackbird | ASY-F | 1991-96134 | 05-Jun-08 | - | BP=3 |
| Red-winged Blackbird | ASY-F | 1991-96135 | 05-Jun-08 | - | BP=3 |

Table 3. Continued.

| Species | Age/Sex | Band No. | Date Banded | = | |
|----------------------|---------|------------|----------------|-----------|------|
| Red-winged Blackbird | SY-M | 1232-01300 | 05-Jun-08 | - | CP=3 |
| Common Grackle | SY-F | 1603-19660 | 09-May-08 | - | BP=3 |
| Common Grackle | SY-F | 1603-19668 | 19-May-08 | - | BP=3 |
| Common Grackle | SY-M | 1603-19669 | 19-May-08 | - | CP=2 |
| Common Grackle | SY-M | 1603-19671 | 19-May-08 | - | CP=3 |
| Common Grackle | SY-M | 1603-19672 | 21-May-08 | - | CP=3 |
| Common Grackle | SY-F | 1603-19673 | 21-May-08 | - | BP=3 |
| Common Grackle | SY-F | 1603-19675 | 30-May-08 | - | BP=3 |
| Common Grackle | SY-M | 1603-19676 | 30-May-08 | - | CP=2 |
| Common Grackle | SY-F | 1603-19677 | 30-May-08 | - | BP=3 |
| Common Grackle | SY-F | 1603-19678 | 30-May-08 | - | BP=3 |
| Common Grackle | SY-M | 1603-19679 | 05-Jun-08 | - | CP=3 |
| Baltimore Oriole | ASY-M | 1991-65150 | 11-May-07 | 19-May-08 | CP=3 |
| Baltimore Oriole | ASY-M | 1991-65161 | 12-May-07 | 30-May-08 | CP=3 |
| Baltimore Oriole | ASY-M | 1991-65172 | 13-May-07 | 12-May-08 | - |
| | | | | 19-May-08 | CP=3 |
| Baltimore Oriole | ASY-M | 1991-96102 | 19-May-08 | - | CP=3 |
| Baltimore Oriole | ASY-F | 1991-96112 | 21-May-08 | - | BP=2 |
| Baltimore Oriole | SY-M | 1991-96122 | 31-May-08 | - | CP=2 |
| Baltimore Oriole | ASY-F | 1991-96135 | 05-Jun-08 | - | BP=3 |
| House Finch | SY-M | 2281-10628 | 24-Apr-08 | - | CP=2 |

Table 4. Returning birds banded in 2004.

| Species | Band No. | Date Banded | Age/Sex | Date Recap. | Age/Sex | Loc |
|----------------------|------------|-------------|---------|-------------|---------|-----|
| American Robin | 0842-29086 | 18-Apr-04 | ASY-U | 06-Apr-08 | A6Y-M | U |
| | | | | 20-Apr-08 | | U |
| | | | | 24-Apr-08 | | U |
| Gray Catbird | 1631-01395 | 08-May-04 | ASY-U | 09-May-08 | A6Y-M | U |
| Gray Catbird | 8101-34792 | 12-May-04 | SY-U | 12-May-08 | A6Y-M | W |
| Northern Cardinal | 1631-01373 | 10-Apr-04 | AHY-M | 06-Apr-08 | A5Y-M | U |
| Red-winged Blackbird | 1631-01387 | 04-May-04 | ASY-F | 12-May-08 | A6Y-F | U |
| Baltimore Oriole | 8101-34780 | 08-May-04 | SY-M | 05-May-08 | 6Y-M | FE |

Table 5. Returning birds banded in 2005.

| Species | Band No. | Date Banded | Age/Sex | Date Recap. | Age/Sex | Loc |
|------------------------|------------|-------------|---------|-------------|---------|-----|
| Downy Woodpecker | 2251-02702 | 09-Oct-05 | ASY-F | 20-Apr-08 | A5Y-F | U |
| | | | | 12-May-08 | | U |
| Alder Flycatcher | 2360-85048 | 25-May-05 | AHY-M | 05-Jun-08 | A4Y-M | F |
| Black-capped Chickadee | 2360-85139 | 21-Aug-05 | HY-U | 06-Apr-08 | 4Y-U | U |
| | | | | 05-Jun-08 | | SW |
| Black-capped Chickadee | 2360-85131 | 21-Aug-05 | HY-U | 24-Apr-08 | 4Y-U | F |
| Black-capped Chickadee | 2360-85187 | 05-Oct-05 | HY-U | 12-May-08 | 4Y-M | U |
| House Wren | 2360-85134 | 21-Aug-05 | AHY-F | 24-Apr-08 | A4Y-F | U |
| | | | | 09-May-08 | | U |
| American Robin | 1192-24697 | 15-May-05 | AHY-F | 31-May-08 | A4Y-F | U |
| American Robin | 1222-19014 | 30-May-05 | AHY-M | 06-Apr-08 | A4Y-M | U |
| | | | | 21-May-08 | | U |
| American Robin | 1222-19019 | 07-Aug-05 | HY-U | 21-May-08 | 4Y-M | W |
| Gray Catbird | 8101-31411 | 14-May-05 | AHY-M | 05-Jun-08 | A4Y-M | SW |
| Yellow Warbler | 2190-67486 | 07-May-05 | ASY-M | 09-May-08 | A5Y-M | SW |
| Yellow Warbler | 2190-67499 | 14-May-05 | SY-F | 09-May-08 | 5Y-F | U |
| | | | | 19-May-08 | | U |
| Yellow Warbler | 2360-85089 | 04-Jun-05 | SY-M | 12-May-08 | 5Y-M | U |
| Common Yellowthroat | 2360-85008 | 14-May-05 | ASY-M | 12-May-08 | A5Y-M | FE |
| Common Yellowthroat | 2360-85028 | 15-May-05 | AHY-M | 12-May-08 | A4Y-M | FE |
| | | | | 19-May-08 | | F |
| Song Sparrow | 1961-11682 | 25-May-05 | AHY-M | 06-Apr-08 | A4Y-M | F |
| Song Sparrow | 1961-11683 | 25-May-05 | AHY-M | 12-Apr-08 | A4Y-M | U |
| | | | | 30-May-08 | | U |
| Song Sparrow | 1961-11713 | 14-Aug-05 | AHY-F | 06-Apr-08 | A4Y-F | F |
| Song Sparrow | 1961-11714 | 14-Aug-05 | HY-U | 19-May-08 | 4Y-F | FE |
| Song Sparrow | 1961-11725 | 21-Aug-05 | HY-U | 06-Apr-08 | 4Y-F | U |
| | | | | 30-Apr-08 | | U |
| | | | | 05-Jun-08 | | U |
| Northern Cardinal | 1222-43024 | 13-Aug-05 | AHY-F | 24-Apr-08 | A4Y-F | SW |
| Red-winged Blackbird | 8101-31455 | 04-Jun-05 | ASY-F | 12-May-08 | A5Y-F | W |
| Common Grackle | 1433-72788 | 25-May-05 | SY-M | 12-May-08 | 5Y-M | SW |
| American Goldfinch | 1671-11422 | 17-Apr-05 | SY-M | 05-May-08 | 5Y-M | F |
| | | | | 21-May-08 | | F |
| American Goldfinch | 1671-11428 | 07-May-05 | SY-F | 06-Apr-08 | 5Y-F | F |

Table 6. Returning birds banded in 2006.

| Species | Band No. | Date Banded | Age/Sex | Date Recap. | Age/Sex | Loc |
|------------------------|------------|-------------|---------|----------------|---------|-----|
| Warbling Vireo | 2360-85287 | 14-May-06 | AHY-U | 12-May-08 | A3Y-U | W |
| Black-capped Chickadee | 2360-85413 | 25-Aug-06 | HY-U | 05-May-08 | 3Y-F | SW |
| Black-capped Chickadee | 2360-85503 | 26-Sep-06 | HY-U | 16-Apr-08 | 3Y-U | U |
| Yellow Warbler | 2360-85280 | 14-May-06 | SY-M | 09-May-08 | 4Y-M | W |
| | | | | 21-May-08 | | W |
| | | | | 30-May-08 | | W |
| Yellow Warbler | 2360-85285 | 14-May-06 | SY-M | 09-May-08 | 4Y-M | SW |
| Yellow Warbler | 2360-85290 | 14-May-06 | SY-M | 12-May-08 | 4Y-M | F |
| Yellow Warbler | 2360-85296 | 15-May-06 | SY-F | 05-Jun-08 | 4Y-F | SW |
| Common Yellowthroat | 2360-85299 | 15-May-06 | ASY-M | 12-May-08 (x2) | A4Y-M | F/W |
| Song Sparrow | 2251-02852 | 16-Apr-06 | AHY-U | 20-Apr-08 | A3Y-F | W |
| | | _ | | 19-May-08 | | W |
| Song Sparrow | 2251-03170 | 16-Aug-06 | AHY-U | 30-Apr-08 | A3Y-M | FE |
| Song Sparrow | 2251-44310 | 01-Sep-06 | HY-U | 05-Jun-08 | 3Y-M | SW |
| Song Sparrow | 2251-44405 | 29-Sep-06 | AHY-U | 16-Apr-08 | A3Y-M | F |
| | | _ | | 09-May-08 | | FE |
| | | | | 05-Jun-08 | | F |
| Red-winged Blackbird | 1991-00901 | 23-May-06 | ASY-F | 09-May-08 | A4Y-F | SW |
| American Goldfinch | 1921-32147 | 02-May-06 | ASY-M | 21-May-08 | A4Y-M | F |

Table 7. Returning birds banded in 2007.

| Species | Band No. | Date Banded | Age/Sex | Date Recap. | Age/Sex | Loc |
|-------------------------|------------|-------------|---------|----------------|---------|--------|
| Ruby-throated | E9000- | 21-Aug-07 | AHY-F | 19-May-08 | A2Y-F | FE |
| Hummingbird | 42994 | | | 21-May-08 | | |
| Downy Woodpecker | 2281-10364 | 27-Apr-07 | SY-F | 06-Apr-08 | 3Y-F | SW |
| Downy Woodpecker | 2281-10206 | 29-Jul-07 | HY-F | 18-Apr-08 | 2Y-F | SW |
| Downy Woodpecker | 2281-10218 | 18-Aug-07 | HY-M | 20-Apr-08 | 2Y-F | SW |
| Downy Woodpecker | 2281-10409 | 04-Oct-07 | HY-F | 20-Apr-08 | 2Y-F | W |
| Northern Flicker | 1603-19612 | 21-Apr-07 | SY-M | 19-May-08 | 3Y-M | U |
| Black-capped Chickadee | 2360-85685 | 29-Jul-07 | HY-U | 05-Apr-08 | 2Y-U | W |
| | | | | 12-Apr-08 | | SW |
| Black-capped Chickadee | 2360-85770 | 09-Sep-07 | HY-U | 05-Apr-08 | 2Y-F | SW |
| | | _ | | 06-Apr-08 | | F |
| | | | | 30-Apr-08 | | SW |
| | | | | 31-May-08 | | SW |
| White-breasted Nuthatch | 2281-10506 | 10-Oct-07 | HY-M | 09-May-08 | 2Y-M | U |
| House Wren | 2360-85714 | 16-Aug-07 | HY-U | 30-May-08 | 2Y-M | SW |
| House Wren | 2360-85728 | 18-Aug-07 | AHY-U | 05-Jun-08 | A2Y-M | F |
| House Wren | 2360-85760 | 07-Sep-07 | HY-U | 05-May-08 | 2Y-U | U |
| American Robin | 1222-43013 | 05-May-07 | SY-M | 12-May-08 | 3Y-M | U |
| American Robin | 1222-43016 | 05-May-07 | SY-M | 30-May-08 | 3Y-M | W |
| American Robin | 1222-43023 | 11-May-07 | AHY-M | 19-May-08 | A2Y-M | SW |
| Yellow Warbler | 2360-85543 | 03-May-07 | SY-M | 05-May-08 | 3Y-M | F |
| | | - | | 09-May-08 | | F |
| | | | | 21-May-08 | | FE |
| | | | | 30-May-08 | | F |
| Yellow Warbler | 2360-85574 | 11-May-07 | SY-M | 05-May-08 | 3Y-M | FE |
| | | | | 21-May-08 | | F |
| Yellow Warbler | 2360-85578 | 11-May-07 | SY-F | 09-May-08 | 3Y-F | W |
| | | | | 12-May-08 | | W |
| Yellow Warbler | 2360-85572 | 11-May-07 | SY-M | 12-May-08 | 3Y-M | W |
| | | | | 05-Jun-08 | | U |
| Yellow Warbler | 2360-85590 | 12-May-07 | SY-M | 05-May-08 | 3Y-M | W |
| Yellow Warbler | 2360-85597 | 12-May-07 | SY-F | 12-May-08 | 3Y-F | F |
| | | | | 19-May-08 | | F |
| | | | | 21-May-08 | | F |
| | | | | 30-May-08 | | F |
| Yellow Warbler | 2360-85621 | 13-May-07 | SY-M | 24-Apr-08 (x3) | 3Y-M | F/U/SW |
| | | | | 05-May-08 | | U |
| | | | | 09-May-08 | | U |
| | | | | 21-May-08 | | U |
| | | | | 30-May-08 | | FE |

Table 7 continued.

| Species | Band No. | Date Banded | Age/Sex | Date Recap. | Age/Sex | Loc |
|---------------------|------------|-------------|---------|-------------|---------|-----|
| Yellow Warbler | 2360-85609 | 13-May-07 | SY-M | 12-May-08 | 3Y-M | W |
| | | | | 30-May-08 | | F |
| | | | | 05-Jun-08 | | U |
| Yellow Warbler | 2360-85622 | 14-May-07 | ASY-F | 19-May-08 | A3Y-F | W |
| | | | | 21-May-08 | | W |
| Yellow Warbler | 2360-85649 | 27-May-07 | ASY-M | 12-May-08 | A3Y-M | U |
| | | | | 19-May-08 | | U |
| Yellow Warbler | 2360-85699 | 31-May-07 | SY-M | 19-May-08 | 3Y-M | SW |
| Yellow Warbler | 2360-85670 | 31-May-07 | ASY-M | 21-May-08 | A3Y-M | U |
| Yellow Warbler | 2360-85679 | 02-Jun-07 | SY-M | 05-May-08 | 3Y-M | U |
| | | | | 09-May-08 | | U |
| | | | | 12-May-08 | | U |
| | | | | 19-May-08 | | U |
| | | | | 05-Jun-08 | | U |
| Yellow Warbler | 2360-85702 | 29-Jul-07 | HY-U | 09-May-08 | 2Y-M | F |
| | | | | 31-May-08 | | F |
| Common Yellowthroat | 2360-85620 | 13-May-07 | SY-M | 09-May-08 | 3Y-M | F |
| | | | | 12-May-08 | | W |
| | | | | 19-May-08 | | FE |
| Common Yellowthroat | 2360-85722 | 18-Aug-07 | HY-M | 19-May-08 | 2Y-M | FE |
| Common Yellowthroat | 2360-85743 | 31-Aug-07 | AHY-M | 19-May-08 | A2Y-M | W |
| Song Sparrow | 2281-10015 | 31-Mar-07 | SY-M | 30-Apr-08 | A2Y-M | F |
| | | | | 31-May-08 | | F |
| Song Sparrow | 2281-10016 | 31-Mar-07 | SY-U | 09-May-08 | 3Y-M | W |
| Song Sparrow | 2281-10213 | 16-Aug-07 | HY-U | 18-Apr-08 | 2Y-M | FE |
| | | | | 20-Apr-08 | | SW |
| | | | | 31-May-08 | | W |
| Song Sparrow | 2281-10220 | 18-Aug-07 | HY-U | 05-Apr-08 | 2Y-M | W |
| | | | | 16-Apr-08 | | W |
| | | | | 18-Apr-08 | | W |
| | | | | 30-Apr-08 | | W |
| | | | | 09-May-08 | | W |
| | | | | 31-May-08 | | W |
| | | | | 05-Jun-08 | | W |
| Song Sparrow | 2281-10224 | 21-Aug-07 | HY-U | 06-Apr-08 | 2Y-U | F |
| | | | | 16-Apr-08 | | FE |
| Song Sparrow | 2281-10248 | 01-Sep-07 | HY-U | 06-Apr-08 | 2Y-U | U |
| Song Sparrow | 2281-10298 | 21-Sep-07 | AHY-U | 05-May-08 | A2Y-M | U |
| Song Sparrow | 2281-10323 | 24-Sep-07 | AHY-U | 06-Apr-08 | A2Y-M | SW |
| | | | | 20-Apr-08 | | SW |
| | | | | 24-Apr-08 | | SW |
| | | | | 05-May-08 | | SW |
| Song Sparrow | 2281-10495 | 07-Oct-07 | HY-U | 31-May-08 | 2Y-M | FE |
| Song Sparrow | 2281-10518 | 10-Oct-07 | HY-U | 30-Apr-08 | 2Y-M | U |

Table 7 continued.

| Species | Band No. | Date Banded | Age/Sex | Date Recap. | Age/Sex | Loc |
|----------------------|------------|-------------|---------|----------------|---------|------|
| Northern Cardinal | 1991-65236 | 16-Aug-07 | AHY-F | 18-Apr-08 | A2Y-F | SW |
| Northern Cardinal | 1222-87012 | 16-Sep-07 | HY-M | 31-May-08 | 2Y-M | U |
| Northern Cardinal | 1222-87025 | 10-Oct-07 | AHY-F | 30-Apr-08 | A2Y-F | U |
| | | | | 05-Jun-08 | | U |
| Red-winged Blackbird | 1222-42991 | 21-Apr-07 | SY-M | 20-Apr-08 | 3Y-M | SW |
| Red-winged Blackbird | 1991-65125 | 28-Apr-07 | ASY-F | 05-Jun-08 | A3Y-F | U |
| Red-winged Blackbird | 1222-43044 | 24-May-07 | SY-M | 30-Apr-08 | 3Y-M | SW |
| | | | | 12-May-08 | | SW |
| Red-winged Blackbird | 1222-43081 | 29-Jul-07 | HY-M | 30-May-08 | 2Y-M | F |
| Common Grackle | 1603-19637 | 02-Jun-07 | ASY-M | 12-May-08 | A3Y-M | SW |
| Brown-headed Cowbird | 2281-10046 | 21-Apr-07 | ASY-F | 20-Apr-08 (x2) | A3Y-F | FE/F |
| | | | | 21-May-08 | | U |
| Brown-headed Cowbird | 2281-10094 | 28-Apr-07 | SY-F | 20-Apr-08 | 3Y-F | F |
| | | | | 24-Apr-08 | | F |
| Baltimore Oriole | 1991-65150 | 11-May-07 | ASY-M | 19-May-08 | A3Y-M | SW |
| Baltimore Oriole | 1991-65161 | 12-May-07 | ASY-M | 30-May-08 | A3Y-M | W |
| Baltimore Oriole | 1991-65172 | 13-May-07 | ASY-M | 12-May-08 | A3Y-M | FE |
| | | | | 19-May-08 | | FE |
| American Goldfinch | 1601-24753 | 14-Apr-07 | ASY-M | 16-Apr-08 (x2) | A3Y-M | F/F |
| American Goldfinch | 1601-24780 | 20-Apr-07 | SY-F | 05-May-08 | 3Y-F | U |
| American Goldfinch | 1601-24772 | 20-Apr-07 | SY-M | 12-May-08 | 3Y-M | SW |
| American Goldfinch | 1601-24798 | 21-Apr-07 | SY-M | 05-Apr-08 | 3Y-M | F |
| American Goldfinch | 2311-28808 | 11-May-07 | ASY-M | 20-Apr-08 | A3Y-M | F |
| American Goldfinch | 2311-28877 | 16-Aug-07 | SY-M | 05-Apr-08 | 3Y-M | F |
| | | | | 05-May-08 | | U |

Table 8. Same season recaptures of migrants (with weight gain or loss noted). (Bold = Neotropical Migrant). Resident species are not included in this table.

| | | | Date | Date | No. | Original | Weight at | | Gain/ |
|------------------------|------------|----------|------------------------|------------------------|----------|--------------|------------|-------------|---------|
| Species | Band No. | Age/Sex | Banded | Recaptured | of | Weight | Recapture | Gain/ | Loss |
| | | | | | days | (g) | (g) | Loss | (%) |
| Eastern Phoebe | 2360-85844 | AHY-U | 12 Apr 09 | 16 Apr 09 | 1 | 16.4 | 17.1 | (g) +0.7 | +4.3% |
| Tree Swallow | 2311-71592 | AHY-M | 12-Apr-08 18-Apr-08 | 16-Apr-08 09-May-08 | 21 | 16.4 22.0 | 22.9 | +0.7 | +4.3% |
| Tree Swallow | 2311-71592 | AHY-F | 09-May-08 | 21-May-08 | 12 | 20.5 | 18.9 | -1.6 | -7.8% |
| House Wren | 2360-85849 | AHY-M | 30-Apr-08 | 09-May-08 | 9 | 11.7 | 11.4 | -1.0 | -7.070 |
| House Wien | 2300-03047 | AIII-WI | 30-Apr-00 | 19-May-08 | 19 | 11.7 | 11.1 | | |
| | | | | 30-May-08 | 30 | | 11.6 | -0.1 | -0.8% |
| House Wren | 2360-85877 | AHY-U | 09-May-08 | 12-May-08 | 3 | 10.5 | 11.0 | 0.11 | 0.070 |
| | | | | 19-May-08 | 10 | | 10.3 | -0.2 | -1.9% |
| Golden-crowned Kinglet | 2380-22386 | AHY-M | 12-Apr-08 | 16-Apr-08 | 4 | 4.7 | 4.3 | -0.4 | -8.5% |
| Veery | 2281-10662 | AHY-U | 09-May-08 | 12-May-08 | 3 | 31.0 | 30.6 | -0.4 | -1.3% |
| Swainson's Thrush | 2281-10656 | AHY-U | 09-May-08 | 12-May-08 | 3 | 27.4 | 27.0 | -0.4 | -1.4% |
| American Robin | 1222-87058 | AHY-U | 06-Apr-08 | 16-Apr-08 | 10 | 64.5 | 64.9 | +0.4 | +0.6% |
| American Robin | 1222-87054 | AHY-M | 05-Apr-08 | 16-Apr-08 | 11 | 71.2 | 67.3 | -3.9 | -5.5% |
| American Robin | 1222-87072 | AHY-F | 18-Apr-08 | 19-May-08 | 31 | 82.6 | 70.0 | -12.6 | -15.2% |
| American Robin | 1232-01219 | AHY-M | 30-Apr-08 | 19-May-08 | 19 | 72.1 | 76.1 | +4.0 | +5.5% |
| American Robin | 1232-01225 | ASY-M | 05-May-08 | 19-May-08 | 14 | 69.8 | 74.4 | +4.6 | +6.6% |
| American Robin | 1232-01254 | AHY-F | 12-May-08 | 19-May-08 | 7 | 81.5 | 77.7 | -3.8 | -4.7% |
| American Robin | 1232-01257 | AHY-M | 12-May-08 | 30-May-08 | 18 | 67.9 | 73.6 | | |
| | | | | 05-Jun-08 | 24 | | 72.8 | +4.9 | +7.2% |
| American Robin | 1232-01291 | HY-U | 30-May-08 | 05-Jun-08 | 6 | 74.0 | 57.7 | -16.3 | -22.0% |
| Yellow Warbler | 2360-85855 | SY-F | 05-May-08 | 09-May-08 | 4 | 9.5 | 9.1 | | |
| | | | | 19-May-08 | 14 | | 10.4 | | |
| | | | 0.7.7. | 30-May-08 | 25 | | 10.8 | +1.3 | +13.7% |
| Yellow Warbler | 2360-85861 | ASY-M | 05-May-08 | 19-May-08 | 14 | 9.2 | 8.8 | -0.4 | -4.3% |
| Yellow Warbler | 2360-85875 | SY-M | 09-May-08 | 12-May-08 | 3 | 8.4 | 7.8 | | |
| | | | | 19-May-08 | 10 | | 8.4 | | |
| | | | | 31-May-08 05-Jun-08 | 22 27 | | 9.6 9.1 | +0.7 | +8.3% |
| Yellow Warbler | 2360-85888 | SY-F | 12-May-08 | 19-May-08 | 7 | 8.9 | 9.1 | +0.7 | +5.6% |
| Yellow Warbler | 2360-85889 | SY-M | 12-May-08 | 21-May-08 | 9 | 9.4 | 9.5 | +0.5 | +3.0% |
| Tellow Warbler | 2300-83889 | D 1 -1VI | 12-Way-08 | 30-May-08 | 18 | 2.4 | 9.3 8.7 | -0.7 | -7.4% |
| Yellow Warbler | 2360-85885 | SY-M | 12-May-8 | 30-May-08 | 18 | 8.3 | 9.6 | +1.3 | +15.7% |
| Yellow Warbler | 2360-85938 | SY-F | 19-May-08 | 21-May-08 | 2 | 9.0 | 10.1 | +1.1 | +12.2% |
| Yellow Warbler | 2360-85939 | SY-F | 19-May-08 | 30-May-08 | 11 | 9.0 | 10.2 | 11.1 | 112.270 |
| | | | | 05-Jun-08 | 17 | , , , | 10.3 | +1.3 | +14.4% |
| Yellow Warbler | 2360-85958 | SY-M | 21-May-08 | 31-May-08 | 10 | 7.4 | 9.3 | +1.9 | +25.7% |
| Yellow Warbler | 2360-85963 | SY-M | 21-May-08 | 05-Jun-08 | 15 | 7.5 | 9.4 | +1.9 | +25.3% |
| Worm-eating Warbler | 2360-85851 | SY-F | 30-Apr-08 | 05-May-08 | 5 | 10.5 | 13.0 | | |
| | | | | 12-May-08 | 12 | | 12.8 | +2.3 | +21.9% |
| Northern Waterthrush | 2311-71652 | AHY-U | 12-May-08 | 19-May-08 | 7 | 21.1 | 21.4 | +0.3 | +1.4% |
| Common Yellowthroat | 2360-85880 | AHY-M | 09-May-08 | 12-May-08 | 3 | 10.8 | 10.1 | | |
| | | | | 21-May-08 | 12 | | 10.1 | -0.7 | -6.5% |
| Common Yellowthroat | 2360-95909 | SY-F | 12-May-08 | 30-May-08 | 18 | 9.7 | 10.3 | +0.6 | +6.2% |
| Common Yellowthroat | 2360-85944 | AHY-M | 19-May-08 | 21-May-08 | 2 | 9.1 | 10.4 | +1.3 | +14.3% |
| Common Yellowthroat | 2360-85927 | SY-M | 19-May-08 | 21-May-08 | 2 | 10.6 | 10.5 | -0.1 | -0.9% |
| Common Yellowthroat | 2360-85986 | AHY-M | 30-May-08 | 31-May-08 | 1 | 10.1 | 10.8 | +0.7 | +6.9% |
| Common Yellowthroat | 2360-85983 | SY-M | 30-May-08 | 31-May-08 | 1 | 11.1 | 9.8 | -1.3 | -11.7% |
| Song Sparrow | 2281-10598 | ASY-U | 06-Apr-08 | 16-Apr-08 | 10 | 20.7 | 21.6 | +0.9 | +4.3% |
| Song Sparrow | 2281-10602 | ASY-F | 06-Apr-08 | 19-May-08 | 43 | 16.7 | 19.6 | +2.9 | +17.4% |
| Song Sparrow | 2281-10604 | AHY-M | 06-Apr-08 | 21-May-08 | 45 | 19.8 | 18.8 | -1.0 | -5.0% |

Table 8. Continued.

| | | | Date | Date | No. | Original | Weight at | | Gain/ |
|----------------------|------------|---------|-----------|------------|------|----------------|---------------|----------|--------|
| Species | Band No. | Age/Sex | Banded | Recaptured | of | Weight | Recapture | Gain/ | Loss |
| | | | | | days | | (g) | Loss | (%) |
| | | | | | | | | (g) | |
| Song Sparrow | 2281-10612 | SY-U | 18-Apr-08 | 20-Apr-08 | 2 | 20.8 | 19.6 | -1.2 | -5.8% |
| Song Sparrow | 2281-10614 | AHY-M | 18-Apr-08 | 31-May-08 | 43 | 18.8 | 20.9 | +2.1 | +11.2% |
| Song Sparrow | 2281-10646 | ASY-M | 05-May-08 | 05-Jun-08 | 31 | 19.1 | 19.2 | +0.1 | +0.5% |
| Song Sparrow | 2281-10707 | AHY-M | 30-May-08 | 31-May-08 | 1 | 20.5 | 20.2 | -0.3 | -1.5% |
| Swamp Sparrow | 2311-71601 | SY-U | 18-Apr-08 | 20-Apr-08 | 2 | 15.3 | 16.7 | +1.4 | +9.2% |
| Swamp Sparrow | 2311-71600 | ASY-M | 18-Apr-08 | 12-May-08 | 24 | 16.4 | 16.9 | | |
| | | | | 19-May-08 | 31 | | 16.8 | +0.4 | +2.4% |
| Swamp Sparrow | 2311-71619 | SY-M | 24-Apr-08 | 19-May-08 | 25 | 16.3 | 17.4 | +1.1 | +6.7% |
| Swamp Sparrow | 2311-71623 | SY-M | 30-Apr-08 | 05-Jun-08 | 36 | 16.9 | 17.2 | +0.3 | +1.8% |
| Swamp Sparrow | 2311-71641 | AHY-U | 09-May-08 | 12-May-08 | 3 | 16.1 | 15.8 | -0.3 | -1.9% |
| Swamp Sparrow | 2311-71666 | AHY-M | 19-May-08 | 21-May-08 | 2 | 13.7 | 15.1 | +1.4 | +10.2% |
| Red-winged Blackbird | 1991-65255 | ASY-F | 16-Apr-08 | 09-May-08 | 23 | 40.8 | 40.3 | -0.5 | -1.2% |
| Red-winged Blackbird | 1222-87094 | SY-M | 20-Apr-08 | 24-Apr-08 | 4 | 66.7 | 64.8 | -1.9 | -2.8% |
| Red-winged Blackbird | 1232-01204 | SY-M | 20-Apr-08 | 12-May-08 | 22 | 65.8 | 61.2 | -4.6 | -7.0% |
| Red-winged Blackbird | 1232-01203 | ASY-M | 20-Apr-08 | 12-May-08 | 22 | 71.1 | 66.3 | -4.8 | -6.8% |
| Red-winged Blackbird | 1222-87080 | SY-M | 20-Apr-08 | 30-May-08 | 40 | 67.0 | 63.0 | -4.0 | -6.0% |
| Brown-headed Cowbird | 2281-10655 | AHY-F | 09-May-08 | 12-May-08 | 3 | 41.5 | 40.2 | -1.3 | -3.1% |
| American Goldfinch | 2311-71583 | SY-F | 16-Apr-08 | 18-Apr-08 | 2 | 12.8 | 11.1 | | |
| | | | _ | 12-May-08 | 26 | | 12.7 | -0.1 | -0.8% |
| American Goldfinch | 2311-71608 | SY-F | 18-Apr-08 | 24-Apr-08 | 6 | 11.6 | 11.8 | +0.2 | +1.7% |
| American Goldfinch | 2311-71624 | ASY-F | 05-May-08 | 21-May-08 | 16 | 12.5 | 12.7 | +0.2 | +1.6% |
| | | | - | - | Tota | l birds with v | weight gains | 30 | - |
| | | | | | Tot | tal birds with | weight loss | 26 | - |
| | | | | | | | Average weigh | ght gain | +8.9% |
| | | | | | | | Average wei | | -4.9% |

SPRING 2008 - PHOTO HIGHLIGHTS



This second-year female Worm-eating Warbler was a first for the station. *Photo by Allen T. Chartier*.



The Worm-eating Warbler was aged by fault bars in the tail and was sexed by wing length. *Photo by Allen T. Chartier*.



Second-year male Blackburnian Warbler. *Photo by Allen T. Chartier.*



Second-year female Blackburnian Warbler. *Photo by Allen T. Chartier.*

SPRING 2008 - PHOTO HIGHLIGHTS



This after second-year female Black-throated Blue Warbler had more green on the crown than normal. *Photo by Allen T. Chartier*.



Hermit Thrushes were captured in very low numbers this spring, suggestive of an early departure of early spring migrants. *Photo by Mangesh Bhide*.



A record number of Red-winged Blackbirds was banded this spring, but this after second-year male was in the minority as most were second-year males, and females. *Photo by Mangesh Bhide*.